

AREA

AREA: TECHNOLOGY CLOTHED BY ITALIAN DESIGN.

Area is the essential accessory for your work space: a place where aesthetics and practicality merge.

Simple shapes with top quality finishes, from the wide display to the backlit icons.

Inside, it is equipped with the solid technology that has always been the strong point of the Saeco professional coffee machines.

Area is the perfect professional capsule coffee machine for every workplace, from offices to the B2B market.

INNOVATION AND DESIGN.

Area is a professional OCS capsule coffee machine which, for its compact size and rigorous but modern style, can adapt to all small and medium locations.

It is the perfect solution to satisfy the needs of professionals who look for an OCS machine that is easy to use, reliable, beautiful and elegant.

Its premium finishing creates a very modern elegance and harmonious lines that well represent its brand.

From modern and trendy offices, to showrooms, from professional studies to B&Bs, coffee corners and Café Lounges, Area is a "must have", due to the quality of the brewed beverages and the reliability of its components.





AREA

Italian design is recognised throughout the world for its creativity and rationality.

Area is 100% made in Italy, the result of Saeco's constant efforts to attain increasingly high standards.

The measured lines and the style of its finishing are clear even in the smallest details.

Its chrome finish, the high quality of its materials, the wide and modern user interface with its easy-to-use icons and display are the result of years of experience in the field of professional coffee machines.

Thanks to the backlit icons that ensure an intuitive use of the machine, it is possible to brew up to 8 different direct selection beverages easily.

Simplicity and performance, for a top quality product always.

A SIMPLETOUCH.

Area OTC HSC, the evolution of perfection.

Thanks to the Saeco One Touch Cappuccino system, and to the double boiler for the High Speed Cappuccino function, you can get a top quality cappuccino quickly with just one touch.

The tested "Pinless Wonder" system makes it possible to brew a consistently excellent product, one cup after the other, as it is designed to brew around 40 cups of coffee a day on average.

The cappuccinatore cover makes the Area OTC lines clean and essential.

The practical system allows to adjust the height of the dispenser at three different levels, makes it possible to use all kinds of cups and to be very versatile.



THE MODELS



AREA OTC HSC Lavazza Blue®*



Capsule type

Capacities

4 Lwater

40 exhausted capsu

One-Touch / High Speed Cappuccino

Integrated hot water spout

Double boiler, double pump

Cappuccinatore Pinless Wonder

8 direct one touch selection (1 of which free brewing)

Optional water supply connection (with the water supply kit)



AREA Focus Lavazza Blue®*



Capsule type

Capacities

4 I water

40 exhausted capsule

2.5 I drip tray

Integrated hot water spout Single circuit

4 direct one touch selections (1 of which free brewing)

Optional water supply connection (with the water supply kit)



AREA OTC HSC Nespresso®*



Capsule type

Nespresso[®]*

Capacities

4 I water

40 exhausted capsule

2.5 I drip tray

One-Touch / High Speed Cappuccino

Integrated hot water spout

Double boiler, double pump

Cappuccinatore Pinless Wonder

8 direct one touch selections (1 of which free brewing)

Optional water supply connection (with the water supply kit)



AREA Focus Nespresso®*



Capsule type Nespresso®*

Capacities


4 I water 40 exhausted capsule

2.5 I drip tray

Integrated hot water spout Single circuit

4 direct one touch selections (1 of which free brewing)

Optional water supply connection (with the water supply kit)



AREA. A CLOSE LOOK.



TECHNICAL DATA





Capsule type	Area OTC HSC Lavazza Blue®*	Area Focus Lavazza Blue®*
Dimensions (w \times h \times d)	280 × 380 × 480 mm	280 × 380 × 480 mm
Weight	9 kg	8 kg
Colour	black	black
Electrical specifications		
Power supply	230 V/50 Hz	230 V/50 Hz
Absorbed power	1300 W	1300 W
Power cable	1200 mm	1200 mm
Water specifications		
Hydraulic system	2 circuits (double boiler, double pump)	single circuit
Boiler	stainless steel	stainless steel
Hot water spout	yes - integrated	yes - integrated
Water connections	, ,	, 0
Water supply	independent tank	independent tank
Water supply connection	optional (with the water supply kit)	optional (with the water supply kit)
Capacities		1 1177
Water container	4	4
Exhausted capsules container	40	40
Drip tray	2.5	2.5
Other specifications		
Cappuccinatore	Pinless Wonder	no
High Speed Cappuccino	yes	no
Possibility of using cups of 3 heights	yes – h 90-110-160 mm	yes – h 90-110-160 mm
Cup holder	yes - for 6 coffee cups	yes - for 6 coffee cups
Programmable dose	yes - 7	yes - 3
Free dose		i l
Alarms for capsules container not present and capsules container full	yes	yes
Alarms for empty water and descaling needed	yes	yes
Capsules counter	yes	yes
Brewing unit rinsing	yes - via menu	yes - via menu
Cappuccinatore rinsing	yes - via menu	no
Descaling	yes - via menu	yes - via menu
Language selection	yes - via menu	yes - via menu
Interface		
2,7" graphic display and buttons with photographic icons	yes	yes
Number of direct one touch selections	8	4
Dedicated menu and navigation buttons	3	3
Infrared port	yes	yes

^{*}The 'Lavazza Blue®' and 'Nespresso®' trademarks are not owned by SaGa Coffee Spa or any of its affiliated companies





Capsule type Nespresso®* Nespresso®* Structural specifications Tomerations (v. vh. xd.) 280 x 380 x 480 mm 280 x 380 x 480 mm Dimensions (v. vh. xd.) 280 x 380 x 480 mm 280 x 380 x 480 mm Weight 9 kg 8 kg Colour black black Electrical specifications Tomation 1300 W 1300 W Power supply 2 30 V/50 Hz 230 V/50 Hz 230 V/50 Hz 230 V/50 Hz 3300 W Power supply 1300 VM 1400 VM 1400 VM 1400 VM 1400 VM	Capsule type	Area OTC HSC Nespresso®*	Area Focus Nespresso®*
Structural specifications 280 x 380 x 480 mm 280 x 380 x 480 mm Dimensions (w x h x d) 280 x 380 x 480 mm 280 x 380 x 480 mm Weight 9 kg 8 kg Colour black black Electrical specifications The colour of			
Dimensions (w x h x d)			
Weight 9 kg 8 kg Colour black black Electrical specifications But No. Power supply 23 V/50 Hz 23 V/50 Hz Absorbed power 1300 W 1300 W Power cable 1200 mm 1300 W Water specifications 1200 mm 1200 mm Water specifications 2 circuits (double boiler double pump) single circuit Bolier 3 tainless steel 3 tainless steel 5 tainless steel 4 tainless steel			
Electrical specifications			
Power supply		9	
Power supply 230 V/50 Hz 230 V/50 Hz Absorbed power I 300 W 1300 W Power cable I 200 mm I 200 mm Water specifications IVEN TOWN TOWN TOWN TOWN TOWN TOWN TOWN TOW		black	black
Absorbed power 1300 W 1300 W Power cable 1200 mm 1200 mm Water specifications Hydraulic system 2 circuits (double boiler, double pump) single circuit Boiler stainless steel stainless steel Hot water spout yes - integrated yes - integrated Water supply independent tank independent tank Water supply connection optional (with the water supply kit) optional (with the water supply kit) Water container 4 1	Electrical specifications		
Power cable 1200 mm 1200 mm 1200 mm Water specifications Flydraulic system 2 circuits (double boiler, double pump) single circuit Boiler stainless steel stainless steel yes integrated	Power supply		
Hydrauic system 2 circuits (double boiler, double pump) single circuit Boiler stainless steel stainless steel Hot water spout yes - integrated yes - integrated Water connections Water supply independent tank independent tank Water supply ocnnection optional (with the water supply kit) optional (with the water supply kit) Capacities Water connections Water connections Water connection optional (with the water supply kit) optional (with the water supply kit) Capacities Water container 41 41 41 Exhausted capsules container 40 40 40 Drip tray 2.51 2.51 Other specifications Cappuccinatore Pinless Wonder no Pinless Wonder no Possibility of using cups of 3 heights yes - 9 90-110-160 mm yes - 190-110-160 mm Cup holder yes - 7 yes - 3 Free dose 1 1 1 Alarms for capsules container not present and capsules container full yes container full yes container full yes Sees Pes yes Peswing yes - 190-110-160 mm yes - 190-110-160 mm Alarms for capsules container not present and capsules container full yes - yes	Absorbed power	1300 W	1300 W
Hydraulic system 2 circuits (double boiler, double pump) single circuit Boiler stainless steel stainless steel Hot water spout yes - integrated yes - integrated Water connections Water supply Mater supply independent tank independent tank Water supply connection optional (with the water supply kit) optional (with the water supply kit) Capacities Water container 4 1 4 4 1 Exhausted capsules container 4 1 4 4 1 Exhausted capsules container 4 0 40 Drip tray 2.5 1 2.5 1 Other specifications Cappuccinatore Pinless Wonder no Pinless Wonder no Possibility of using cups of 3 heights yes - h 90-110-160 mm yes - h 90-110-160 mm Cup holder yes - for 6 coffee cups yes - for 6 coffee cups Programmable dose yes - for 6 coffee cups Programmable dose yes - 7 yes - 3 Free dose 1 1 1 Alarms for capsules container not present and capsules container full yes - yes yes - gasules counter when yes - yes yes - gasules counter full yes - yes yes - gasules counter full yes - yes - yes - gasules counter full yes - yes - yes - yes - gasules counter yes -	Power cable	1200 mm	1200 mm
Boiler stainless steel stainless steel Hot water spout yes - integrated yes - integrated Water connections Water supply independent tank independent tank Water supply connection optional (with the water supply kit) optional (with the water supply kit) Capacities *** *** Water container 4 I 4 I Exhausted capsules container 40 40 25 I Drip tray 25 I 25 I 25 I Other specifications *** *** no Helps Speed Cappuccino Ne no Personance no Personan	Water specifications		
Hot water spout yes - integrated yes - integrated water connections Water supply independent tank independent tank optional (with the water supply kit) option	Hydraulic system	2 circuits (double boiler, double pump)	single circuit
Water supply independent tank independent tank Water supply connection optional (with the water supply kit) optional (with the water supply kit) Capacities Water container 4 l 4 l Exhausted capsules container 40 40 25 l Drip tray 25 l 25 l 25 l Other specifications Cappuccinatore Pinless Wonder no Helpid Speed Cappuccino yes no Possibility of using cups of 3 heights yes – h 90-I10-I60 mm yes – h 90-I10-I60 mm yes – h 90-I10-I60 mm Cup holder yes – for 6 coffee cups yes – for 6 coffee cups yes – 3 Free dose J Cup holder yes – 7 yes – 3 Free dose yes – 3 Free dose J I Alarms for capsules container not present and capsules container full yes yes yes yes Alarms for empty water and descaling needed yes ye	Boiler	stainless steel	stainless steel
Water supply independent tank independent tank Water supply connection optional (with the water supply kit) optional (with the water supply kit) Capacities ************************************	Hot water spout	yes - integrated	yes - integrated
Water supply connection optional (with the water supply kit) optional (with the water supply kit) Capacities Water container 4 l 4 l Exhausted capsules container 40 40 Drip tray 2.5 l 2.5 l Other specifications Cappuccinatore Pinless Wonder no High Speed Cappuccino yes no Possibility of using cups of 3 heights yes - h 90-110-160 mm yes - h 90-110-160 mm Cup holder yes - for 6 coffee cups yes - for 6 coffee cups Programmable dose yes - 7 yes - 3 Free dose 1 1 1 Alarms for capsules container full yes yes Alarms for capsules container full yes yes Alarms for empty water and descaling needed yes yes Capsules counter yes yes Serewing unit rinsing yes - via menu yes - via menu Cappuccinatore rinsing yes - via menu yes - via menu Language selection yes - via menu yes - via menu Language selection yes - via menu yes - via menu Language selection yes - via menu yes - via menu Large fractions y	Water connections		
Capacities Water container 4 I 4 I Exhausted capsules container 40 40 Drip tray 2.5 I 2.5 I Other specifications Cappuccinatore Pinless Wonder no High Speed Cappuccino yes no Possibility of using cups of 3 heights yes - h 90-110-160 mm yes - h 90-110-160 mm Cup holder yes - for 6 coffee cups yes - for 6 coffee cups Programmable dose yes - 7 yes - 3 Free dose I I Alarms for capsules container not present and capsules container full yes yes Alarms for empty water and descaling needed yes yes Capsules counter yes yes Brewing unit rinsing yes - via menu yes - via menu Cappuccinatore rinsing yes - via menu no Descaling yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface yes yes 2,7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 3 3	Water supply	independent tank	independent tank
Water container 4 I 4 I Exhausted capsules container 40 40 Drip tray 2.5 I 2.5 I Other specifications Section 1 3 Cappuccinatore Pinless Wonder no High Speed Cappuccino yes no Possibility of using cups of 3 heights yes - h 90-110-160 mm yes - h 90-110-160 mm Cup holder yes - for 6 coffee cups yes - for 6 coffee cups Programmable dose yes - 7 yes - 3 Free dose I I Alarms for capsules container not present and capsules container full yes yes Alarms for empty water and descaling needed yes yes Capsules counter yes yes Brewing unit rinsing yes - via menu yes - via menu Cappuccinatore rinsing yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface yes yes 2,7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 3 3	Water supply connection	optional (with the water supply kit)	optional (with the water supply kit)
Exhausted capsules container 40 40 40 Drip tray 2.5 2.5 2.5 Other specifications Cappuccinatore Pinless Wonder no Pinless Wonder no Pinless Wonder no Pinless Wonder yes no Possibility of using cups of 3 heights yes – h 90-110-160 mm yes – for 6 coffee cups yes - for 6 coffee cups yes – for 6 coffee cups yes – 3 Free dose 1 1 1 Alarms for capsules container not present and capsules container not present and capsules container full yes yes yes Capsules counter yes yes yes Capsules counter yes yes yes yes Prewing unit rinsing yes - via menu yes - via menu Cappuccinatore rinsing yes - via menu yes - via menu Cappuccinatore rinsing yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface 2.7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons	Capacities		
Drip tray 2.5 2.5 Other specifications Cappuccinatore Pinless Wonder no High Speed Cappuccino yes no Possibility of using cups of 3 heights yes – h 90-110-160 mm yes – h 90-110-160 mm Cup holder yes – for 6 coffee cups yes – for 6 coffee cups Programmable dose yes – 7 yes – 3 Free dose I I I Alarms for capsules container not present and capsules container full yes Alarms for empty water and descaling needed yes yes Capsules counter yes yes Prewing unit rinsing yes – via menu yes – via menu Cappuccinatore rinsing yes – via menu yes – via menu Language selection yes – via menu Language selection yes – via menu Descaling tip display and buttons with photographic icons yes Number of direct one touch selections 8 A Dedicated menu and navigation buttons 3 25 I 26 I 27 II 28 II 28 II 29 II 29 II 20 II 20 II 21 II 21 II 21 II 21 II 22 II 25 II 25 II 25 II 25 II 25 II 25 II 26 II 27 II 28 II 29 II 20 II 20 II 20 II 21 II 21 II 21 II 22 II 25 II 26 II 27 II 28 II 28 II 29 II 20 II 20 II 20 II 20 II 20 II 20 II 21 II 21 II 21 II 21 II 21 II 22 II 23 II 24 II 25 II 26 II 27 II 28 II 28 II 28 II 29 II 20 II 20 II 20 II 20 II 21 II 22 II 24 II 25 II 26 II 27 II 28 II 29 II 20 II	Water container	4	4
Other specifications Pinless Wonder no Cappuccinatore Pinless Wonder no High Speed Cappuccino yes no Possibility of using cups of 3 heights yes – h 90-110-160 mm yes – h 90-110-160 mm Cup holder yes – for 6 coffee cups yes - for 6 coffee cups Programmable dose yes - 7 yes - 3 Free dose I I Alarms for capsules container not present and capsules container full yes yes Alarms for empty water and descaling needed yes yes Capsules counter yes yes Brewing unit rinsing yes - via menu yes - via menu Cappuccinatore rinsing yes - via menu yes - via menu Descaling yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface yes yes 2,7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 3 3	Exhausted capsules container	40	40
CappuccinatorePinless WondernoHigh Speed CappuccinoyesnoPossibility of using cups of 3 heightsyes – h 90-110-160 mmyes – h 90-110-160 mmCup holderyes – for 6 coffee cupsyes – for 6 coffee cupsProgrammable doseyes – 7yes – 3Free dose11Alarms for capsules container not present and capsules container fullyesyesCapsules container fullyesyesCapsules counteryesyesBrewing unit rinsingyes – via menuyes – via menuCappuccinatore rinsingyes – via menunoDescalingyes – via menuyes – via menuLanguage selectionyes – via menuyes – via menuInterface2,7" graphic display and buttons with photographic iconsyesyesNumber of direct one touch selections84Dedicated menu and navigation buttons33	Drip tray	2.5	2.5
High Speed Cappuccino Possibility of using cups of 3 heights yes – h 90-110-160 mm yes – for 6 coffee cups Programmable dose Programmable dose Yes - 7 Yes - 3 Free dose I I I Alarms for capsules container not present and capsules container full Alarms for empty water and descaling needed Yes Yes Yes Apsules counter Yes Yes Yes Prewing unit rinsing Yes - via menu Yes - via menu Yes - via menu Nescaling Yes - via menu Nescaling Yes - via menu Nescaling Yes - via menu Neterface 2,7" graphic display and buttons with photographic icons Yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons	Other specifications		
Possibility of using cups of 3 heights yes – h 90-110-160 mm yes – for 6 coffee cups yes – for 6 coffee cups Programmable dose Programmable dose yes – 7 yes – 3 Free dose I Alarms for capsules container not present and capsules container full Alarms for empty water and descaling needed yes Capsules counter yes yes yes Prewing unit rinsing yes – via menu Cappuccinatore rinsing yes – via menu Interface 2,7" graphic display and buttons with photographic icons yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons	Cappuccinatore	Pinless Wonder	no
Cup holder yes - for 6 coffee cups yes - for 6 coffee cups Programmable dose yes - 7 yes - 3 Free dose I I Alarms for capsules container not present and capsules container full yes yes Alarms for empty water and descaling needed yes yes Capsules counter yes yes Brewing unit rinsing yes - via menu yes - via menu Cappuccinatore rinsing yes - via menu no Descaling yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface 2,7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 3 3	High Speed Cappuccino	yes	no
Programmable dose yes - 7 yes - 3 Free dose I I I I Alarms for capsules container not present and capsules container full yes yes Alarms for empty water and descaling needed yes yes yes Capsules counter yes yes yes Brewing unit rinsing yes - via menu yes - via menu Cappuccinatore rinsing yes - via menu yes - via menu Descaling yes - via menu yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface 2,7" graphic display and buttons with photographic icons yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 3 3	Possibility of using cups of 3 heights	yes – h 90-110-160 mm	yes – h 90-110-160 mm
Free dose I I I I I I I I I I I I I I I I I I I	Cup holder	yes - for 6 coffee cups	yes - for 6 coffee cups
Alarms for capsules container not present and capsules container full Alarms for empty water and descaling needed Alarms for empty water and descaling needed yes yes yes yes yes Brewing unit rinsing yes - via menu Cappuccinatore rinsing yes - via menu no Descaling yes - via menu Alarms for capsules container not present and yes yes yes yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons	Programmable dose	yes - 7	yes - 3
capsules container full Alarms for empty water and descaling needed yes yes yes Yes Capsules counter yes yes Yes Yes Yes Yes Yes Yes	Free dose	1	
Capsules counter yes yes Brewing unit rinsing yes - via menu yes - via menu Cappuccinatore rinsing yes - via menu no Descaling yes - via menu yes - via menu yes - via menu Language selection yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface 2,7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 3 3	Alarms for capsules container not present and capsules container full	yes	yes
Brewing unit rinsing yes - via menu yes - via menu no Cappuccinatore rinsing yes - via menu no Descaling yes - via menu yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface 2,7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 9 yes - via menu	Alarms for empty water and descaling needed	yes	yes
Cappuccinatore rinsing yes - via menu no Descaling yes - via menu yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface 2,7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 13	Capsules counter	yes	yes
Descaling yes - via menu yes - via menu yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface 2,7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 3 3	Brewing unit rinsing	yes - via menu	yes - via menu
Descaling yes - via menu yes - via menu yes - via menu yes - via menu Language selection yes - via menu yes - via menu Interface 2,7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 3 3	Cappuccinatore rinsing	yes - via menu	no
Interface 2,7" graphic display and buttons with photographic icons yes yes Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 3 3	Descaling	yes - via menu	yes - via menu
2,7" graphic display and buttons with photographic iconsyesyesNumber of direct one touch selections84Dedicated menu and navigation buttons33	Language selection	yes - via menu	yes - via menu
Number of direct one touch selections 8 4 Dedicated menu and navigation buttons 3 3	Interface	•	
Dedicated menu and navigation buttons 3 3	2,7" graphic display and buttons with photographic icons	yes	yes
	Number of direct one touch selections	,	,
•	Dedicated menu and navigation buttons	3	3
initared port yes yes yes	Infrared port	yes	yes

FR7L Milk Cooler



Compressor Saeco Refrigerator FR7L to keep milk fresh, with a capacity of 7 litres.

Technical data

 $\begin{array}{lll} \text{Dimensions (w x h x d)} & 220 \times 370 \times 510 \text{ mm} \\ \text{Weight} & 16 \text{ kg} \\ \text{Power supply} & 220\text{-}240\text{ V/}50 \text{ Hz} \\ \text{Power consumption} & 55 \text{ W} \\ \text{Capacity} & 7 \text{ I} \\ \text{Refrigerating unit} & \text{compressor} \end{array}$



Milk Cooler to keep milk fresh, with a capacity of 1 litre.

The cooling is generated by a Peltier cooling system with no CFCs.

It can be combined with both Aulika and Lirika models.

Technical data

 $\begin{array}{lll} \mbox{Dimensions (w \times h \times d)} & 150 \times 215 \times 190 \mbox{ mm} \\ \mbox{Weight} & 1.7 \mbox{ kg} \\ \mbox{Power supply} & 100-240 \mbox{V/50-60 Hz} \\ \mbox{Power consumption} & 20 \mbox{W} \\ \mbox{Capacity} & 1 \mbox{I} & \\ \mbox{I} & \mbox{I} & \\ \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{III} & \\ \mbox{II} & \mbox{II} \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \\ \mbox{II} & \mbox{II} & \mbox{II} & \mbox{II} & \m$

SOLUTIONS THAT MEET YOUR EXPECTATIONS.

For several years now Saeco has been developing its projects in partnership with important players in the world of coffee brewing outside the home.

The willingness of the company to address the needs of the market and of the users more and more closely has led to the development of customised solutions.

Moreover, the company supports its products throughout the development and sales phases and beyond, thanks to its solid after-sales service

Saeco has also a dedicated team and a set of on-line and off-line tools to support the customer on a daily basis, in terms of information, technical skills, spare parts and accessories.

Saeco, your ideal partner.